



DC5000 | SURFACE MOUNTED DOOR CLOSER

DC5000 | SURFACE MOUNTED DOOR CLOSER

The DC5000 Door Closer offers a high level of quality while maintaining classic architectural styling.

The Doric DC5000 surface mounted door closer offers a high level of quality and reliability whilst maintaining classic architectural styling. It features a rack and a pinion which converts rotational motion into smooth linear movement.

The DC5000 design includes a spring power adjustment providing a high level of strength with a rating of 2 to 5 for Standard arm and 3 & 4 for Parallel arm installations.

Included is a parallel arm bracket for outward opening doors on top of it's standard arm mechanism and is versatile with it's non handed installation.

ADVANTAGES



Adjustable power size: 2-5



Back check is adjustable to ensure smooth door opening



Adjustable closing and latching speed



Concealed fixing and adjustment valves

TESTING



Tested to 500,000 cycles



240 hours NSS corrosion resistance



Suitable for fire and smoke door assemblies as defined in EN1634-1



PRODUCT DETAILS

FURNITURE MATERIAL	Die Cast Aluminium
MAX. DOOR WIDTH	1250mm
MAX. OPENING ANGLE	180°
DOOR WEIGHT RANGE	40 - 100kg

COLOURS



SILVER



HOW TO ORDER

PRODUCT	CODE	ARM
DC5000	9049879	Standard
DC5001	9049880	SP1 Hold Open Arm

INNOVATORS

OF HARDWARE FOR WINDOWS AND DOORS

SYDNEY

38 Redfern St,
Wetherill Park
Sydney, NSW 2164
Australia
Ph: +61 2 9609 2555
www.doric.com.au

AUCKLAND

26/C Triton Drive,
Albany, North Shore,
New Zealand 0632
Auckland
Ph: +64 9 415 5535
www.doricnz.co.nz

KUALA LUMPUR

No.17 Jalan 51/203A,
Kawasan perindustrian Tiong Nam,
Seksyen 51, 46050 Petaling Jaya,
Selangor, Malaysia
Ph: +603 777 33 628
www.doric.com.my



DC5000

 | SURFACE MOUNTED
DOOR CLOSER