



DC6000

SURFACE MOUNTED
DOOR CLOSER

DC6000 | SURFACE MOUNTED DOOR CLOSER

The DC6000 Door Closer offers quality, reliability and a sleek and stylish rectangular body.

The Doric DC6000 is a rectangular bodied style door closer which offers a high level of efficiency, quality and reliability. The closer is suitable for use on internal doors as well as fire rated doors.

The DC6000 provides a universal solution to many different commercial and architectural environments. The closer features a high degree of adjustability including closing and latching speed, level of power and back check.

Included is a parallel arm bracket for outward opening doors on top of it's standard arm mechanism and is versatile with it's non handed installation.

ADVANTAGES



Adjustable power size: 2-6



Back check is adjustable to ensure smooth door opening



Adjustable door closing speed



Delayed action adjustable to maintain door opening for a period before closure

TESTING



Tested to 500,000 cycles



240 hours NSS corrosion resistance



Suitable for fire and smoke door assemblies as defined in EN1634-1





PRODUCT DETAILS

FURNITURE MATERIAL	Die Cast Aluminium
MAX. DOOR WIDTH	1400mm
MAX. OPENING ANGLE	180°
DOOR WEIGHT RANGE	60 - 120kg

COLOURS



SILVER



DC6001SA
Door Closer with
Slide Arm

HOW TO ORDER

PRODUCT	CODE	ARM
DC6000	9049871	Heavy duty door closer (Size 2-6)
DC6001SA	9049872	Heavy Duty Door Closer with Slide Arm
DC6002HO	9049870	Hold Open Arm Accessory Suit DC6000

INNOVATORS

OF HARDWARE FOR WINDOWS AND DOORS

SYDNEY

38 Redfern St,
Wetherill Park
Sydney, NSW 2164
Australia
Ph: +61 2 9609 2555
www.doric.com.au

AUCKLAND

26/C Triton Drive,
Albany, North Shore,
New Zealand 0632
Auckland
Ph: +64 9 415 5535
www.doricnz.co.nz

KUALA LUMPUR

No.17 Jalan 51/203A,
Kawasan perindustrian Tiong Nam,
Seksyen 51, 46050 Petaling Jaya,
Selangor, Malaysia
Ph: +603 777 33 628
www.doric.com.my



DC6000

 | SURFACE MOUNTED
DOOR CLOSER