



DH114 | HEAVY DUTY HINGE

DH114 HEAVY DUTY FAST FIX HINGE

The 130mm high Heavy Duty Fast Fix Hinge with Face Fit Flanges is arguably the most use hinge type in Australia.

This hinge is now available branded Doric and desingated as the Doric DH114 and has been tested to over 250,000 cycles on a 100kg door fitted with 3 hinges..

APPICATIONS

- Suitable for residential & commercial aluminium hinged doors
- Suitable for both centre and front edged glazing systems

INSTALLATION GUIDE

- Up to 2000 high x 900 x 100kg 3 hinges
- Over 2000 high x 900 x 100kg 4 hinges
- Minimum door thickness 40mm
- . Recommendation that a minimum of 3 hinges be used with the top hinge located as high as possible

FINISHES

- CA Clear Anodised
- SB Satin Black Powder Coat

FIXING

P

- Heavy Duty Bi-Directional fixing
- Face Fix Locator Flange allows for faster fixing


Technical Specifications	
Alloy:	6063-T5 Alloy
Pin Diameter:	6mm 304 Stainless Stee
Bushes:	Nylon
Knuckles:	Squareline -Heavy duty
Aluminium End Caps:	Interference Pressed Fit

PRODUCT CODES


- 9046221 DH114CA Hinge Clear . Anodised
- 9046222 DH114SB Hinge Satin . Black Powder Coatfaster fixing




DH114 OVERALL DIMENSIONS



DH114 SCREW HOLE FIXING DIMENSIONS









SYDNEY 38 Redfern St, Wetherill Park Sydney, NSW 2164 Australia Ph: +61 2 9609 2555 www.doric.com.au

AUCKLAND

26/C Triton Drive, Albany, North Shore, New Zealand 0632 Auckland Ph: +64 9 415 5535 www.doricnz.co.nz

KUALA LUMPUR

No.17 Jalan 51/203A, Kawasan perindustrian Tiong Nam, Seksyen 51, 46050 Petaling Jaya, Selangor, Malaysia Ph: +60377733628 www.doric.com.my



DH114 | HEAVY DUTY HINGE